



- PROPOSED WETLAND PLANTINGS -**
- SWAMP MILKWEED (*Asclepias incarnata*)
  - JOE PILE WEDD (*Eupatorium dubium*)
  - SEDGECRESS (*Carex stricta*)
  - CINNAMON FERN (*Osmunda cloydeniana*)


- SEDIMENTATION AND EROSION CONTROL NOTES**
1. LAND DISTURBANCE SHALL BE KEPT TO A MINIMUM. REPAIRMENT STABILIZATION SHALL BE SCHEDULED AS SOON AS FINAL GRASSES ARE ESTABLISHED.
  2. ALL DISTURBED AREAS SHALL BE FINE GRADED AND SEEDED WITH AN APPROVED SEED MIXTURE. COVER NEWLY SEEDD AREAS WITH MULCH HAY OR SALT HAY.
  3. ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE STANDARDS AND SPECIFICATIONS OF THE 2002 CONNECTICUT "GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL" HANDBOOK.
  4. ALL CONTROL MEASURES SHALL BE MAINTAINED IN EFFECTIVE CONDITION THROUGHOUT THE CONSTRUCTION PERIOD. CHECK AFTER EACH STORM EVENT.
  5. ADDITIONAL CONTROL MEASURES SHALL BE INSTALLED DURING THE CONSTRUCTION PERIOD, IF REQUIRED BY TOWN AUTHORITIES.
  6. SEDIMENT DEPOSITS REMOVED FROM FILTER BARRIERS SHALL BE PLACED IN FILL AREAS OR SPREAD WHERE THERE IS PROPOSED VEGETATIVE COVER. ANY SEDIMENT DEPOSITS REMAINING AFTER THE FILTER BARRIER IS REMOVED SHALL BE FINE GRADED AND PLANTED ACCORDING TO PLAN.
  7. THE OWNER IS ASSIGNED THE RESPONSIBILITY FOR IMPLEMENTING THIS EROSION AND SEDIMENT CONTROL PLAN. THIS RESPONSIBILITY INCLUDES THE INSTALLATION AND MAINTENANCE OF CONTROL MEASURES, INFORMING ALL PARTIES ENGAGED ON THE CONSTRUCTION SITE OF THE REQUIREMENTS AND OBJECTIVES OF THIS PLAN, NOTIFYING THE TOWN ENGINEER AND THE STATE DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES (DEEP) OF ANY VIOLATIONS OF THIS PLAN, AND NOTIFYING THE TOWN ENGINEER AND THE CONSERVATION COMMISSION OF ANY TRANSFER OF THIS RESPONSIBILITY AND CONVEYING A COPY OF THE EROSION AND SEDIMENT CONTROL PLAN IF THE TITLE TO THE LAND IS TRANSFERRED TO A NEW OWNER.



**PLUNGE POOL / ENERGY DISSIPATOR**  
NOT TO SCALE



**SILT FENCE**  
NOT TO SCALE



<p><b>CCO HABITATS, LLC</b> WESTPORT, CONNECTICUT</p>	<p>19-5226 Project 1 OF 1 Sheet 1-9-20 date</p>
<p><b>DRAINAGE IMPROVEMENT PLAN</b></p>	
<p><b>GRUMAN ENGINEERING L.L.C.</b> CONSULTING CIVIL ENGINEERS 20 KNIGHT STREET, NORWALK, CONNECTICUT 06851 PH: (203) 853-3633 FAX: (203) 286-5072</p>	